# antibodies .- online.com





## anti-DUSP13 antibody (AA 81-198) (AbBy Fluor® 647)



( )	1 /	$\sim$	KI /	110	Νę
	1//	$\vdash$	I \/	1 ←	٠// ٢

Quantity:	100 μL
Target:	DUSP13
Binding Specificity:	AA 81-198
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DUSP13 antibody is conjugated to AbBy Fluor® 647
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human DUSP13
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Cow,Sheep
Purification:	Purified by Protein A.

#### **Target Details**

Target:	DUSP13
Alternative Name:	DUSP13 (DUSP13 Products)
Background:	Synonyms: BEDP, Branching enzyme interacting dual specicity protein phosphatase, Dual

specicity phosphatase 13, Dual specicity phosphatase SKRP4, DUSP13A, DUSP13B, FLJ32450, MDSP, Muscle restricted dual specicity phosphatase, SKRP4, Testis and skeletal muscle specic DSP, TMDP, DUS13\_HUMAN.

Background: Members of the protein-tyrosine phosphatase superfamilycooperate with protein kinases to regulate cell proliferation and differentiation. This superfamily is separated into two familiesbased on the substrate that is dephosphorylated. One family, the dual specificity phosphatases (DSPs) acts on both phosphotyrosine and phosphoserine/threonine residues. This gene encodes differentbut related DSP proteins through the use of non-overlapping openreading frames, alternate splicing, and presumed differenttranscription promoters. Expression of the distinct proteins from this gene has been found to be tissue specific and the proteins maybe involved in postnatal development of specific tissues. A proteinencoded by the upstream ORF was found in skeletal muscle, whereas he encoded protein from the downstream ORF was found only intestis. In mouse, a similar pattern of expression was found. Multiple alternatively spliced transcript variants were described, but the full-length sequence of only some were determined. [provided by RefSeq, Jul 2008].

Gene ID:	51207
UniProt <sup>.</sup>	0911116

#### **Application Details**

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200

Restrictions: For Research Use only

#### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

### Handling

Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months