# antibodies -online.com





# anti-Ectodysplasin A2 Receptor antibody (AA 51-150) (Cy5.5)



Go to Product page

$\sim$					
	1/6	⊃r	1//	$\triangle$	٨/

Quantity:	100 μL
Target:	Ectodysplasin A2 Receptor (EDA2R)
Binding Specificity:	AA 51-150
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Ectodysplasin A2 Receptor antibody is conjugated to Cy5.5
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human EDA2R/TNFRSF27
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat
Purification:	Purified by Protein A.

## **Target Details**

Target:	Ectodysplasin A2 Receptor (EDA2R)
Alternative Name:	EDA2R (EDA2R Products)

## **Target Details**

. d. got 2 otalio			
Background:	Synonyms: XEDAR, EDAA2R, EDA-A2R, TNFRSF27, Tumor necrosis factor receptor superfamily		
	member 27, X-linked ectodysplasin-A2 receptor, EDA-A2 receptor, EDA2R,		
	UNQ2448/PR05727/PR034080		
	Background: Receptor for EDA isoform A2, but not for EDA isoform A1. Mediates the activation		
	of the NF-kappa-B and JNK pathways. Activation seems to be mediated by binding to TRAF3		
	and TRAF6.		
Gene ID:	60401		
UniProt:	Q9HAV5		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
Expiry Date:	12 months		