

## Datasheet for ABIN895022 anti-EGFRviii antibody (AA 1-50) (AbBy Fluor® 350)



Overview

Quantity:	100 µL	
Target:	EGFRviii (EGFRv3)	
Binding Specificity:	AA 1-50	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This EGFRviii antibody is conjugated to AbBy Fluor® 350	
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human EGFRvIII	
Isotype:	lgG	
Cross-Reactivity:	Chicken, Human, Mouse	
Purification:	Purified by Protein A.	
Target Details		
Target:	EGFRviii (EGFRv3)	
Abstract:	EGFRv3 Products	
Background:	Synonyms: EGFR vIII, EGFRvIII, Epidermal growth factor receptor variant type _, epidermal	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN895022 | 07/26/2024 | Copyright antibodies-online. All rights reserved.

growth factor receptor isoform a variant, ERBB, HER1, ERBB1, Proto-oncogene c-ErbB-1,
Receptor tyrosine-protein kinase erbB-1, EGFR
Background: Receptor tyrosine kinase binding ligands of the EGF family and activating several
signaling cascades to convert extracellular cues into appropriate cellular responses. Known
ligands include EGF, TGFA/TGF-alpha, amphiregulin, epigen/EPGN, BTC/betacellulin,
epiregulin/EREG and HBEGF/heparin-binding EGF. Ligand binding triggers receptor homo-
and/or heterodimerization and autophosphorylation on key cytoplasmic residues. The
phosphorylated receptor recruits adapter proteins like GRB2 which in turn activates complex
downstream signaling cascades. Activates at least 4 major downstream signaling cascades
including the RAS-RAF-MEK-ERK, PI3 kinase-AKT, PLCgamma-PKC and STATs modules. May
also activate the NF-kappa-B signaling cascade. Also directly phosphorylates other proteins like
RGS16, activating its GTPase activity and probably coupling the EGF receptor signaling to the G
protein-coupled receptor signaling. Also phosphorylates MUC1 and increases its interaction
with SRC and CTNNB1/beta-catenin. Isoform 2 may act as an antagonist of EGF action.

Gene ID:	1956
UniProt:	Q59FL8

## **Application Details**

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only

## Handling

Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN895022 | 07/26/2024 | Copyright antibodies-online. All rights reserved.

1.1	(	1:
Н	land	ling
		3

Expiry Date:

12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN895022 | 07/26/2024 | Copyright antibodies-online. All rights reserved.