antibodies -online.com





anti-EID3 antibody (AA 65-160) (FITC)



Go to Product page

()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL	
Target:	EID3	
Binding Specificity:	AA 65-160	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This EID3 antibody is conjugated to FITC	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human EID3
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Horse
Purification:	Purified by Protein A.

Target Details

Target:	EID3
Alternative Name:	EID3 (EID3 Products)
ackground: Synonyms: E1A-like inhibitor of dferentiation 3, EID 3, EID-1-like inhibitor of dferentiation 3	

Target Details	
	3, EID3, EID3_HUMAN, EP300 interacting inhibitor of dferentiation 3, EP300-interacting inhibitor
	of dferentiation 3, Non-SMC element 4, S. cerevisiae, homolog of, B, NSE4B, NSMCE4B.
	Background: Act as a repressor of nuclear receptor-dependent transcription possibly by
	interfering with CREBBP-dependent coactivation. May function as a coinhibitor of other
	CREBBP/EP300-dependent transcription factors. Tissue specificity: Highly expressed in testis.
Gene ID:	493861
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months