antibodies .- online.com







anti-DNAJC10 antibody (AA 51-160) (Alexa Fluor 488)



()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Quantity:	100 μL
Target:	DNAJC10
Binding Specificity:	AA 51-160
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DNAJC10 antibody is conjugated to Alexa Fluor 488
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DNAJC10
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	DNAJC10
Alternative Name:	DNAJC10 (DNAJC10 Products)

Target Details

Background:	Synonyms: DNAJC10, DnaJ Hsp40 homolog subfamily C member 10, DnaJ homolog subfamily	
	C member 10, DNAJC 10, ER resident protein ERdj5, ERdj 5, ERdj5, J domain containing protein	
	disulfide isomerase like protein, JPDI, Macrothioredoxin, MGC104194, MTHr, DJC10_HUMAN,	
	DnaJ homolog subfamily C member 10, ER-resident protein ERdj5, Macrothioredoxin, MTHr.	
	Background: This gene encodes an endoplasmic reticulum co-chaperone which is part of the	
	endoplasmic reticulum-associated degradation complex involved in recognizing and degrading	
	misfolded proteins. The encoded protein reduces incorrect disulfide bonds in misfolded	
	glycoproteins. Alternatively spliced transcript variants encoding multiple isoforms have been	
	observed for this gene. [provided by RefSeq, Oct 2012].	
Gene ID:	54431	
Pathways:	Cell RedoxHomeostasis	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	
Precaution of Use: Storage: Storage Comment:	recordines aution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which handled by trained staff only. age: -20 °C Store at -20 °C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	