

Datasheet for ABIN896129

anti-FAM104B antibody (AA 21-115) (HRP)



| \sim | | | | |
|--------|-----|-----|-----|---|
| () | ve. | r\/ | 101 | Λ |
| | | | | |

| Overview | | |
|----------------------|---|--|
| Quantity: | 100 μL | |
| Target: | FAM104B | |
| Binding Specificity: | AA 21-115 | |
| Reactivity: | Human | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This FAM104B antibody is conjugated to HRP | |
| Application: | Western Blotting (WB), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), | |
| | Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)) | |
| Product Details | | |
| Immunogen: | KLH conjugated synthetic peptide derived from human FAM104B | |
| Isotype: | IgG | |
| Cross-Reactivity: | Human | |
| Purification: | Purified by Protein A. | |
| Target Details | | |
| Target: | FAM104B | |
| Alternative Name: | FAM104B (FAM104B Products) | |
| Background: | Synonyms: CXorf44, Protein FAM104B, FAM104B | |

Background: The X and Y chromosomes are the human sex chromosomes. Chromosome X consists of about 153 million base pairs and nearly 1,000 genes. The combination of an X and Y chromosome lead to normal male development while two copies of X lead to normal female development. There are a number of conditions related to an unsual number and combination of sex chromosomes being inherited. More than one copy of the X chromosome with a Y chromosome causes Klinefelter's syndrome. A single copy of X alone leads to Turner's syndrome. More than 2 copies of the X chromosome, in the absence of a Y chromosome, is known as Triple X syndrome. Color blindness, hemophilia, and Duchenne muscular dystrophy are well known X chromosome-linked conditions which affect males more frequently as males carry a single X chromosome. The FAM104B gene product has been provisionally designated FAM104B pending further characterization.

Gene ID:

90736

UniProt:

Q5XKR9

Application Details

Application Notes:

WB 1:300-5000

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions:

For Research Use only

Handling

| Format: | Liquid |
|--------------------|--|
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Handling Advice: | Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase. |
| Storage: | -20 °C |

Handling

| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
|------------------|---|
| Expiry Date: | 12 months |