antibodies -online.com





anti-FAM134C antibody (AA 76-180) (Alexa Fluor 488)



Go to Product page

()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL	
Target:	FAM134C	
Binding Specificity:	AA 76-180	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FAM134C antibody is conjugated to Alexa Fluor 488	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FAM134C
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit,Guinea Pig
Purification:	Purified by Protein A.

Target Details

Target:	FAM134C
Alternative Name:	FAM134C (FAM134C Products)

Target Details

Background:	Synonyms: Protein FAM134C, FAM134C
	Background: Chromosome 17 makes up over 2.5 % of the human genome with about 81 million
	bases encoding over 1,200 genes. Two key tumor suppressor genes are associated with
	chromosome 17, namely, p53 and BRCA1. Tumor suppressor p53 is necessary for
	maintenance of cellular genetic integrity by moderating cell fate through DNA repair versus cell
	death. Malfunction or loss of p53 expression is associated with malignant cell growth and Li-
	Fraumeni syndrome. Like p53, BRCA1 is directly involved in DNA repair, though specifically it is
	recognized as a genetic determinant of early onset breast cancer and predisposition to cancers
	of the ovary, colon, prostate gland and fallopian tubes. Chromosome 17 is also linked to
	neurofibromatosis, a condition characterized by neural and epidermal lesions, and dysregulated
	Schwann cell growth. Alexander disease, Birt-Hogg-Dube syndrome and Canavan disease are
	also associated with chromosome 17. The FAM134C gene product has been provisionally
	designated FAM134C pending further characterization.
Gene ID:	162427
UniProt:	Q86VR2
Pathways:	SARS-CoV-2 Protein Interactome
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months