

## Datasheet for ABIN897026

# anti-FTL antibody (AA 101-175) (HRP)



oo to . . oudot pago

Overview

Background:

Quantity:	100 μL
Target:	FTL
Binding Specificity:	AA 101-175
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FTL antibody is conjugated to HRP
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human Ferritin Light Chain
Immunogen: Isotype:	KLH conjugated synthetic peptide derived from human Ferritin Light Chain
Isotype:	IgG
Isotype: Cross-Reactivity:	IgG Human
Isotype:  Cross-Reactivity:  Predicted Reactivity:	IgG Human Mouse,Rat,Dog,Cow,Pig,Horse
Isotype:  Cross-Reactivity:  Predicted Reactivity:  Purification:	IgG Human Mouse,Rat,Dog,Cow,Pig,Horse
Isotype:  Cross-Reactivity:  Predicted Reactivity:  Purification:  Target Details	IgG Human Mouse,Rat,Dog,Cow,Pig,Horse Purified by Protein A.

Synonyms: LFTD, NBIA3, Ferritin light chain, Ferritin L subunit, FTL

#### **Target Details**

Background: Stores iron in a soluble, non-toxic, readily available form. Important for iron
homeostasis. Iron is taken up in the ferrous form and deposited as ferric hydroxides after
oxidation. Also plays a role in delivery of iron to cells. Mediates iron uptake in capsule cells of
the developing kidney (By similarity).

Gene ID: 2512

UniProt: P02792

Pathways: Transition Metal Ion Homeostasis

### **Application Details**

Application Notes: IHC-P 1:200-400

Restrictions: For Research Use only

## Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months