.-online.com antibodies

## Datasheet for ABIN897155 anti-FGFRL1 antibody (AA 231-330) (Alexa Fluor 350)



Overview

Quantity:	100 μL	
Target:	FGFRL1	
Binding Specificity:	AA 231-330	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FGFRL1 antibody is conjugated to Alexa Fluor 350	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FGFR5/FGFRL1
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

## Target Details

Target:	FGFRL1
Alternative Name:	FGFR5 (FGFRL1 Products)
Background:	Synonyms: FGF homologous factor receptor, FGF receptor like protein 1, FGFR 5, FGFR like

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN897155 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

	protein, FGFR5, FGFRL1, FHFR, Fibroblast growth factor receptor 5, Fibroblast growth factor	
	receptor like 1, FGRL1_HUMAN.	
	Background: FGFRL1 is a member of the fibroblast growth factor receptor (FGFR) family, where	
	amino acid sequence is highly conserved between members and throughout evolution. FGFR	
	family members differ from one another in their ligand affinities and tissue distribution. A full-	
	length representative protein would consist of an extracellular region, composed of three	
	immunoglobulin-like domains, a single hydrophobic membrane-spanning segment and a	
	cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with	
	fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately	
	influencing mitogenesis and differentiation. A marked difference between FGFRL1 and the	
	other family members is its lack of a cytoplasmic tyrosine kinase domain. The result is a	
	transmembrane receptor that could interact with other family members and potentially inhibit	
	signaling. Multiple alternatively spliced transcript variants encoding the same isoform have	
	been found.	
Gene ID:	53834	
Pathways:	RTK Signaling	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN897155 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

lond	lina
land	
10110	

Storage Comment:

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date:

12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN897155 | 03/07/2024 | Copyright antibodies-online. All rights reserved.