antibodies -online.com





anti-GANP antibody (AA 435-535) (Biotin)



()	11/0	K\ /	iew	1
	\cup	ועוי	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	GANP (MCM3AP)
Binding Specificity:	AA 435-535
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GANP antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GANP
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	GANP (MCM3AP)
Alternative Name:	GANP (MCM3AP Products)
Background:	Synonyms: 80 kDa MCM3 associated protein, 80 kDa MCM3-associated protein, Germinal

center associated nuclear protein, KIAA0572, MAP80, MCM3 import protein,
MCM3 minichromosome maintenance deficient 3 S. cerevisiae associated protein,

MCM3 minichromosome maintenance deficient 3 associated protein, MCM3A,

MCM3A_HUMAN, MCM3AP, Minichromosome maintenance complex component 3 associated protein, Minichromosome maintenance deficient 3 associated protein, Minichromosome maintenance protein 3 associated protein, Protein GANP.

Background: The minichromosome maintenance protein 3 (MCM3) is one of the MCM proteins essential for the initiation of DNA replication. The protein encoded by this gene is a MCM3 binding protein. It was reported to have phosphorylation-dependent DNA-primase activity, which was up-regulated in antigen immunization induced germinal center. This protein was demonstrated to be an acetyltransferase that acetylates MCM3 and plays a role in DNA replication. The mutagenesis of a nuclear localization signal of MCM3 affects the binding of this protein with MCM3, suggesting that this protein may also facilitate MCM3 nuclear localization.

Gene ID:	8888	

Pathways: Protein targeting to Nucleus

Application Details

Application Notes:	WB 1:300-5000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	

Restrictions: For Research Use only

Handling

Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	

Handling

Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months