antibodies -online.com





anti-GIMAP5 antibody (AA 101-200) (Biotin)



Go to Product page

| \sim | | | | | |
|--------|----|----|----|-------------|---|
| () | VE | ۲۱ | /1 | \triangle | Λ |

| Quantity: | 100 μL | |
|----------------------|---|--|
| Target: | GIMAP5 | |
| Binding Specificity: | AA 101-200 | |
| Reactivity: | Human | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This GIMAP5 antibody is conjugated to Biotin | |
| Application: | Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)) | |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human GIMAP5 | |
|-------------------|--|--|
| Isotype: | IgG | |
| Cross-Reactivity: | Human | |
| Purification: | Purified by Protein A. | |

Target Details

| Target: | GIMAP5 | |
|-------------------|--|--|
| Alternative Name: | GIMAP5 (GIMAP5 Products) | |
| Background: | Synonyms: HIMAP3, IAN4, IAN4L1, IAN5, IMAP3, FLJ11296, GIMAP 5, GTPase IMAP family | |

| member 5, GTPase, IMAP family member 5, immunity-associated nucleotide 5, hIAN5, IAN 5, |
|---|
| Immune associated nucleotide 4 like 1, Immunity associated nucleotide 4 like 1 protein, |
| Immunity associated protein 3, GIMA5_HUMAN. |

Background: GIMAP5, also known as IAN5, IAN4L1 (immunity-associated nucleotide 4-like 1 protein), IAN4, IMAP3, HIMAP3 or IROD, is a 307 amino acid single-pass type IV membrane protein of the mitochondrial outer membrane. A member of the GTP-binding superfamily and the immuno-associated nucleotide (IAN) subfamily, GIMAP5 plays a role in T-cell survival and mitochondrial integrity. GIMAP5 is highly expressed in CD4 and CD8-positive T-cells and monocytes, as well as B-lymphocyte-derived neoplasms. GIMAP5 exists as two alternatively spliced isoforms and is encoded by a gene that maps to human chromosome 7q36.1. Defects in the GIMAP5 gene are associated with systemic lupus erythematosus.

| Gene ID: | 55340 |
|-----------|--|
| UniProt: | Q96F15 |
| Pathways: | Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, |

Production of Molecular Mediator of Immune Response

Application Details

| Application Notes: | WB 1:300-5000 |
|--------------------|-----------------------|
| | IHC-P 1:200-400 |
| | IHC-F 1:100-500 |
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid | |
|--------------------|--|--|
| Concentration: | 1 μg/μL | |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. | |
| Storage: | -20 °C | |

Handling

| Storage Comment: | Store at -20°C for 12 months. |
|------------------|-------------------------------|
| Expiry Date: | 12 months |