antibodies -online.com





anti-GIMAP5 antibody (AA 101-200) (AbBy Fluor® 488)



Go to Product page

\sim			
	N/P	r\/I	$\Theta \backslash \Lambda /$

Quantity:	100 μL
Target:	GIMAP5
Binding Specificity:	AA 101-200
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GIMAP5 antibody is conjugated to AbBy Fluor® 488
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GIMAP5
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Purified by Protein A.

Target Details

Target:	GIMAP5
Alternative Name:	GIMAP5 (GIMAP5 Products)
Background: Synonyms: HIMAP3, IAN4, IAN4L1, IAN5, IMAP3, FLJ11296, GIMAP 5, GTPase IMAP fami	

member 5, GTPase, IMAP family member 5, immunity-associated nucleotide 5, hIAN5, IAN 5,
Immune associated nucleotide 4 like 1, Immunity associated nucleotide 4 like 1 protein,
Immunity associated protein 3, GIMA5_HUMAN.

Background: GIMAP5, also known as IAN5, IAN4L1 (immunity-associated nucleotide 4-like 1 protein), IAN4, IMAP3, HIMAP3 or IROD, is a 307 amino acid single-pass type IV membrane protein of the mitochondrial outer membrane. A member of the GTP-binding superfamily and the immuno-associated nucleotide (IAN) subfamily, GIMAP5 plays a role in T-cell survival and mitochondrial integrity. GIMAP5 is highly expressed in CD4 and CD8-positive T-cells and monocytes, as well as B-lymphocyte-derived neoplasms. GIMAP5 exists as two alternatively spliced isoforms and is encoded by a gene that maps to human chromosome 7q36.1. Defects in the GIMAP5 gene are associated with systemic lupus erythematosus.

Gene ID:	55340	
UniProt:	Q96F15	
Pathways:	vays: Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Pro-	
	Production of Molecular Mediator of Immune Response	

Application Details

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months