# antibodies .- online.com







## anti-GIMAP8 antibody (AA 551-565) (Alexa Fluor 350)



( )	1/0	r\ / I	014	
( )	ve	I V I	-v	V

Quantity:	100 μL	
Target:	GIMAP8	
Binding Specificity:	AA 551-565	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This GIMAP8 antibody is conjugated to Alexa Fluor 350	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human GIMAP8	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Horse,Rabbit	
Purification:	Purified by Protein A.	

#### **Target Details**

Target:	GIMAP8
Alternative Name:	GIMAP8 (GIMAP8 Products)

### **Target Details**

Background:	Synonyms: GTPase IMAP family member 8, hIAN6, Human immune associated nucleotide 6,		
	IAN9, IANT, Immune associated nucleotide, Immune-associated nucleotide-binding protein 9,		
	Protein lanT, GIMA8_HUMAN.		
	Background: The GTPase of the immunity-associated protein (GIMAP) family of proteins		
	include seven members that are expressed by genes residing on human chromosome 7.		
	GIMAP proteins have been implicated in the regulation of lymphomyeloid cell survival. GIMAP8,		
	also known as IAN9 (immune-associated nucleotide-binding protein 9) or IANT, is a 665 amino		
	acid protein that localizes to Golgi apparatus, Endoplasmic reticulum and mitochondria.		
	Suggested to have an anti-apoptotic effect on the immune system, GIMAP8 plays a role in		
	infection response and is encoded by a gene that maps to human chromosome 7q36.1.		
	Chromosome 7 houses over 1,000 genes, comprises nearly 5 % of the human genome and has		
	been linked to Osteogenesis imperfecta, Pendred syndrome, Lissencephaly, Citrullinemia and		
	Shwachman-Diamond syndrome.		
Gene ID:	155038		
UniProt:	Q8ND71		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

1 1		1 .
ш	$a \sim 10$	lina
	land	1111(

Expiry Date:

12 months