antibodies -online.com





anti-GIMAP8 antibody (AA 551-565) (Alexa Fluor 555)



Go to Product page

()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	GIMAP8
Binding Specificity:	AA 551-565
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GIMAP8 antibody is conjugated to Alexa Fluor 555
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GIMAP8
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	GIMAP8
Alternative Name:	GIMAP8 (GIMAP8 Products)

Target Details

Background:	Synonyms: GTPase IMAP family member 8, hIAN6, Human immune associated nucleotide 6, IAN9, IANT, Immune associated nucleotide, Immune-associated nucleotide-binding protein 9,			
	Protein lanT, GIMA8_HUMAN.			
	Background: The GTPase of the immunity-associated protein (GIMAP) family of proteins			
	include seven members that are expressed by genes residing on human chromosome 7.			
	GIMAP proteins have been implicated in the regulation of lymphomyeloid cell survival. GIMAP8,			
	also known as IAN9 (immune-associated nucleotide-binding protein 9) or IANT, is a 665 amino			
	acid protein that localizes to Golgi apparatus, Endoplasmic reticulum and mitochondria.			
	Suggested to have an anti-apoptotic effect on the immune system, GIMAP8 plays a role in			
	infection response and is encoded by a gene that maps to human chromosome 7q36.1.			
	Chromosome 7 houses over 1,000 genes, comprises nearly 5 % of the human genome and has			
	been linked to Osteogenesis imperfecta, Pendred syndrome, Lissencephaly, Citrullinemia and			
	Shwachman-Diamond syndrome.			
Gene ID:	155038			
UniProt:	Q8ND71			
Application Details				
Application Notes:	IF(IHC-P) 1:50-200			
	IF(IHC-F) 1:50-200			
	IF(ICC) 1:50-200			
Restrictions:	For Research Use only			
Handling				
Format:	Liquid			
Concentration:	1 μg/μL			
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.			
Preservative:	ProClin			
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.			
Storage:	-20 °C			
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.			

		1.	
\vdash	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months