antibodies -online.com





anti-GLP2R antibody (AA 51-150) (Biotin)



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL	
Target:	GLP2R	
Binding Specificity:	AA 51-150	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This GLP2R antibody is conjugated to Biotin	
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GLP2R	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Dog,Cow,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	GLP2R
Alternative Name:	GLP2R (GLP2R Products)

Target Details

Background:	Synonyms: GLP 2 R, GLP 2 receptor, GLP 2R, GLP-2 receptor, GLP-2-R, GLP-2R, GLP2 R, GLP2 Receptor, GLP2R, GLP2R_HUMAN, Glucagon Like Peptide 2 Receptor, Glucagon-like peptide 2 receptor.		
	Background: The GLP2 receptor (GLP2R) is a G protein-coupled receptor superfamily member		
	closely related to the glucagon receptor ans GLP1 receptor. Glucagon-like peptide-2 (GLP2) is a		
	33-amino acid proglucagon-derived peptide produced by intestinal enteroendocrine cells. Like		
	glucagon-like peptide-1 (GLP1) and glucagon itself, it is derived from the proglucagon peptide		
	encoded by the GCG gene. GLP2 stimulates intestinal growth and upregulates villus height in		
	the small intestine, concomitant with increased crypt cell proliferation and decreased		
	enterocyte apoptosis. Moreover, GLP2 prevents intestinal hypoplasia resulting from total		
	parenteral nutrition. GLP2R, a G protein-coupled receptor superfamily member is expressed in		
	the gut and closely related to the glucagon receptor (GCGR) and the receptor for GLP1 (GLP1R).		
	[provided by RefSeq, Jul 2008].		
Gene ID:	9340		
Pathways:	Positive Regulation of Peptide Hormone Secretion, Peptide Hormone Metabolism, cAMP		
	Metabolic Process, Feeding Behaviour		
Application Details			
Application Notes:	IHC-P 1:200-400		
	IHC-F 1:100-500		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C for 12 months.		

Н	and	linc

Expiry Date:

12 months