antibodies -online.com





Datasheet for ABIN899087

anti-SLC2A10 antibody (AA 288-335) (Cy5)



()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Quantity:	100 μL
Target:	SLC2A10
Binding Specificity:	AA 288-335
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLC2A10 antibody is conjugated to Cy5
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GLUT10
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Dog,Cow
Purification:	Purified by Protein A.

Target Details

Target:	SLC2A10
Alternative Name:	GLUT10 (SLC2A10 Products)

Target Details

_			
Background:	Synonyms: ATS, GLUT10, Solute carrier family 2, facilitated glucose transporter member 10,		
	Glucose transporter type 10, GLUT-10, SLC2A10		
	Background: Defects in SLC2A10 are the cause of arterial tortuosity syndrome (ATS)		
	[MIM:208050]. ATS is an autosomal recessive disorder characterized by tortuosity and		
	elongation of major arteries, often resulting in death at young age. Other typical features include		
	aneurysms of large arteries and stenosis of the pulmonary artery, in association with facial features and several connective tissue manifestations such as soft skin and joint laxity.		
	Histopathological findings include fragmentation of elastic fibers in the tunica media of large		
	arteries.		
Gene ID:	81031		
UniProt:	095528		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
Expiry Date:	12 months		