antibodies -online.com





anti-GPRIN3 antibody (AA 601-700) (HRP)



Go to Product page

()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	GPRIN3
Binding Specificity:	AA 601-700
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GPRIN3 antibody is conjugated to HRP
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GPRIN3
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	GPRIN3
Alternative Name:	GPRIN3 (GPRIN3 Products)

Target Details

Handling Advice:

Storage:

Target Details	
Background:	Synonyms: G protein-regulated inducer of neurite outgrowth 3, GPRIN family member 3, Gprin3,
	GRIN3, GRIN3_HUMAN.
	Background: May be involved in neurite outgrowth.G protein-coupled receptors (GPCRs)
	represent a large superfamily of cell-surface receptors that are involved in a multitude of
	physiological processes such as perception of sensory information, modulation of synaptic
	transmission, hormone release/action, regulation of cell contraction/migration and cell
	growth/differentiation. GPCRs interact with G proteins (heterotrimeric GTPases) to synthesize
	intracellular second messengers, such as diacylglycerol, cyclic AMP, inositol phosphates and
	calcium ions. Their diverse biological functions range from vision and olfaction to neuronal and
	endocrine signaling, and are involved in many pathological conditions. GRIN3 (G protein-
	regulated inducer of neurite outgrowth 3), also known as GPRIN3, is a 776 amino acid protein
	that contains a C-terminal region which shares a high homology with GRIN2 and GRIN1, and may function in neurite outgrowth.
	may function in neurite outgrowth.
Gene ID:	285513
Application Details	
Application Notes:	WB 1:300-5000
	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.

peroxidase.

-20 °C

Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months