



[Go to Product page](#)

Datasheet for ABIN899738

anti-NDUFA13 antibody (AA 51-144) (Alexa Fluor 350)

Overview

Quantity:	100 µL
Target:	NDUFA13
Binding Specificity:	AA 51-144
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NDUFA13 antibody is conjugated to Alexa Fluor 350
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GRIM19
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	NDUFA13
Alternative Name:	Grim19 (NDUFA13 Products)

Target Details

Background: Synonyms: CDA016, Cell death regulatory protein, Cell death regulatory protein GRIM-19, CGI-39, CGI39 protein, CI-B16.6, GRIM-19, GRIM 19, Complex I-B16.6, Gene associated with retinoic and N-induced mortality 19 protein, Gene associated with retinoic and interferon-induced mortality 19 protein, Gene associated with retinoic interferon induced mortality 19 protein, GRIM-19, NADH dehydrogenase ubiquinone 1 alpha subcomplex, 13, NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 13, NADH ubiquinone oxidoreductase B16.6 subunit, Ndufa13.

Background: A novel gene, Genes associated with Retinoid IFN induced Mortality (GRIM) GRIM19 gene was identified. Antisense expression of GRIM19 confers a strong resistance against IFN/RA induced death by reducing the intracellular levels of GRIM19 protein. Overexpression of GRIM19 enhances cell death in response to IFN/RA. GRIM19 is primarily a nuclear protein whose expression is induced by the IFN/RA combination. These data indicate that GRIM19 is a novel cell death regulatory molecule.

Gene ID: 51079

Pathways: [Protein targeting to Nucleus](#), [Negative Regulation of intrinsic apoptotic Signaling](#)

Application Details

Application Notes: IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200
IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Handling

Expiry Date: 12 months