antibodies -online.com





anti-SPINT1 antibody (AA 451-529) (Alexa Fluor 555)



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL	
Target:	SPINT1	
Binding Specificity:	AA 451-529	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SPINT1 antibody is conjugated to Alexa Fluor 555	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human HAI-1
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat
Purification:	Purified by Protein A.

Target Details

Target:	SPINT1
Alternative Name:	HAI-1 (SPINT1 Products)

Target Details

Synonyms: Hepatocyte Growth Factor Activator Inhibitor 1, Spint1, Hai1, HGFA Inhibitor 1, HAI-		
1, SPIT1_HUMAN.		
Background: HGFA Inhibitor 1 is an endogenous inhibitor of the kunitz-type serine proteinase		
HGF-activator (HGFA). HGF was first described as a hepatocyte-specific mitogen and survival		
factor, and has since been shown to exert a variety of actions on many cell types by binding to		
its MET receptor. HGF is activated by cleavage of the single-chain form to form a two-chain		
version by HGFA. HGFA Inhibitor 1 also inhibits trypsin, and MTSP-1 (Matriptase), a serine		
proteinase that also activates HGF. HGFB Inhibitor 1 is a splice variant of HGFA Inhibitor 1, and		
contains a 16 amino acid insert after the first kringle domain, relative to the HGFA Inhibitor 1		
sequence.		
6692		
IF(IHC-P) 1:50-200		
IF(IHC-F) 1:50-200		
IF(ICC) 1:50-200		
For Research Use only		
Liquid		
1 μg/μL		
Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
50 % Glycerol.		
ProClin		
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
handled by trained staff only.		
-20 °C		
Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
12 months		