

Datasheet for ABIN900138

anti-HAS1 antibody (AA 501-578) (AbBy Fluor® 555)



Go to Product page

_			erview				
	1//	\triangle	r۱	/1	\triangle	Λ/	
	' V '		ΙV			v v	

Alternative Name:

Quantity:	100 μL	
Target:	HAS1	
Binding Specificity:	AA 501-578	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This HAS1 antibody is conjugated to AbBy Fluor® 555	
Application:	Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Troduct Details		
Immunogen:	KLH conjugated synthetic peptide derived from human Hyaluronan synthase 1	
	KLH conjugated synthetic peptide derived from human Hyaluronan synthase 1 IgG	
Immunogen:		
Immunogen: Isotype:	IgG	
Immunogen: Isotype: Cross-Reactivity:	IgG Human, Mouse, Rat	
Immunogen: Isotype: Cross-Reactivity: Predicted Reactivity:	IgG Human, Mouse, Rat Dog,Cow,Pig	

HAS1 (HAS1 Products)

Target Details

Synonyms: HAS, Hyaluronan synthase 1, Hyaluronate synthase 1, Hyaluronic acid synthase 1,	
Synonyms. HAS, Hydiuronan synthase 1, Hydiuronate synthase 1, Hydiuronic dold synthase 1,	
HA synthase 1, HuHAS1, HAS1	
Background: Catalyzes the addition of GlcNAc or GlcUA monosaccharides to the nascent	
hyaluronan polymer. Therefore, it is essential to hyaluronan synthesis a major component of	
most extracellular matrices that has a structural role in tissues architectures and regulates cell	
adhesion, migration and differentiation. This is one of the isozymes catalyzing that reaction.	
Also able to catalyze the synthesis of chito-oligosaccharide depending on the substrate (By	
similarity).	
3036	
Q92839	
Glycosaminoglycan Metabolic Process	
FCM 1:20-100	
IF(IHC-P) 1:50-200	
IF(IHC-F) 1:50-200	
IF(ICC) 1:50-200	
For Research Use only	
Liquid	
1 μg/μL	
Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
50 % Glycerol.	
ProClin	
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
handled by trained staff only.	
-20 °C	
Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
12 months	