antibodies -online.com





anti-IER3 antibody (AA 85-156) (Alexa Fluor 488)



| Overview | |
|-----------------------|--|
| Quantity: | 100 μL |
| Target: | IER3 |
| Binding Specificity: | AA 85-156 |
| Reactivity: | Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This IER3 antibody is conjugated to Alexa Fluor 488 |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |
| Product Details | |
| Immunogen: | KLH conjugated synthetic peptide derived from human IEX1/Differentiation dependent gene 2 protein |
| Isotype: | IgG |
| Cross-Reactivity: | Rat |
| Predicted Reactivity: | Human,Mouse,Dog,Cow,Sheep,Pig,Horse,Rabbit |
| Purification: | Purified by Protein A. |
| Target Details | |
| Target: | IER3 |

Target Details

| Alternative Name: | IEX1 (IER3 Products) |
|---------------------|--|
| Background: | Synonyms: DIF2, IEX1, PRG1, DIF-2, GLY96, IEX-1, IEX-1L, Radiation-inducible immediate-early gene IEX-1, Differentiation-dependent gene 2 protein, Protein DIF-2, Immediate early protein GLY96, Immediate early response 3 protein, PACAP-responsive gene 1 protein, Protein PRG1, IER3 |
| | Background: May play a role in the ERK signaling pathway by inhibiting the dephosphorylation |
| | of ERK by phosphatase PP2A-PPP2R5C holoenzyme. Acts also as an ERK downstream effecto |
| | mediating survival. As a member of the NUPR1/RELB/IER3 survival pathway, may provide |
| | pancreatic ductal adenocarcinoma with remarkable resistance to cell stress, such as starvation |
| | or gemcitabine treatment. |
| Gene ID: | 8870 |
| UniProt: | P46695 |
| Pathways: | Regulation of Carbohydrate Metabolic Process |
| Application Details | |
| Application Notes: | IF(IHC-P) 1:50-200 |
| | IF(IHC-F) 1:50-200 |
| | IF(ICC) 1:50-200 |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and |
| | 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be |
| | handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |