

Datasheet for ABIN901974

## anti-IGSF8 antibody (AA 101-200) (AbBy Fluor® 488)



[Go to Product page](#)

### Overview

|                      |   |
|----------------------|---|
| Quantity:            | 100 µL  |
| Target:              | IGSF8   |
| Binding Specificity: | AA 101-200  |
| Reactivity:          | Human, Mouse  |
| Host:                | Rabbit  |
| Clonality:           | Polyclonal  |
| Conjugate:           | This IGSF8 antibody is conjugated to AbBy Fluor® 488  |
| Application:         | Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

### Product Details

|                       |   |
|-----------------------|---|
| Immunogen:            | KLH conjugated synthetic peptide derived from mouse IGSF8 |
| Isotype:              | IgG   |
| Cross-Reactivity:     | Human, Mouse  |
| Predicted Reactivity: | Rat,Cow,Pig,Horse   |
| Purification:         | Purified by Protein A.                                    |

### Target Details

|                   |  |
|-------------------|--|
| Target:           | IGSF8  |
| Alternative Name: | IGSF8/CD316 ( <a href="#">IGSF8 Products</a> ) |

## Target Details

---

**Background:** Synonyms: PGRL, EWI-2, KCT-4, ESTM34, R75384, AA033172, AU041109, Immunoglobulin superfamily member 8, IgSF8, CD81 partner 3, Glu-Trp-Ile EWI motif-containing protein 2, Keratinocyte-associated transmembrane protein 4, Prostaglandin regulatory-like protein, CD316, Ewi2, Kct4

Background: May play a key role in diverse functions ascribed to CD81 and CD9 such as oocytes fertilization or hepatitis C virus function. May regulate proliferation and differentiation of keratinocytes. May be a negative regulator of cell motility: suppresses T-cell mobility coordinately with CD81, associates with CD82 to suppress prostate cancer cell migration, regulates epidermoid cell reaggregation and motility on laminin-5 with CD9 and CD81 as key linkers. May also play a role on integrin-dependent morphology and motility functions. May participate in the regulation of neurite outgrowth and maintenance of the neural network in the adult brain.

---

**Gene ID:** 140559

---

**UniProt:** [Q8R366](#)

## Application Details

---

**Application Notes:** FCM 1:20-100  
IF(IHC-P) 1:50-200  
IF(IHC-F) 1:50-200  
IF(ICC) 1:50-200

---

**Restrictions:** For Research Use only

## Handling

---

**Format:** Liquid

---

**Concentration:** 1 µg/µL

---

**Buffer:** Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

---

**Preservative:** ProClin

---

**Precaution of Use:** This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

---

**Storage:** -20 °C

---

**Storage Comment:** Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

---

## Handling

---

Expiry Date: 12 months