antibodies -online.com





anti-IGSF8 antibody (AA 101-200) (Alexa Fluor 350)



Go to Product page

()	11/0	K\ /	iew	1
	\cup	ועוי	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	IGSF8
Binding Specificity:	AA 101-200
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IGSF8 antibody is conjugated to Alexa Fluor 350
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from mouse IGSF8	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Predicted Reactivity:	Rat,Cow,Pig,Horse	
Purification:	Purified by Protein A.	

Target Details

Target:	IGSF8
Alternative Name:	IGSF8/CD316 (IGSF8 Products)

Target Details

Background:	Synonyms: PGRL, EWI-2, KCT-4, ESTM34, R75384, AA033172, AU041109, Immunoglobulin		
	superfamily member 8, IgSF8, CD81 partner 3, Glu-Trp-lle EWI motif-containing protein 2, Keratinocyte-associated transmembrane protein 4, Prostaglandin regulatory-like protein,		
	CD316, Ewi2, Kct4		
	Background: May play a key role in diverse functions ascribed to CD81 and CD9 such as oocytes fertilization or hepatitis C virus function. May regulate proliferation and differentiation		
	of keratinocytes. May be a negative regulator of cell motility: suppresses T-cell mobility		
	coordinately with CD81, associates with CD82 to suppress prostate cancer cell migration,		
	regulates epidermoid cell reaggregation and motility on laminin-5 with CD9 and CD81 as key		
	linkers. May also play a role on integrin-dependent morphology and motility functions. May		
	participate in the regulation of neurite outgrowth and maintenance of the neural network in the		
	adult brain.		
Gene ID:	140559		
UniProt:	Q8R366		
Application Details			
Application Notes:	FCM 1:20-100		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

1 1		- 11		
Н	lan	ıaı	IIn	n

Expiry Date:

12 months