# antibodies - online.com







## anti-ILP-2 antibody (AA 141-236) (Cy5.5)



| ( ) | 11/0   | K\ /   | iew                 | 1 |
|-----|--------|--------|---------------------|---|
|     | $\cup$ | 'I V/I | $\square \vee \vee$ | ı |
|     |        |        |                     |   |

| Quantity:            | 100 μL  |
|----------------------|---|
| Target:              | ILP-2 (BIRC8)   |
| Binding Specificity: | AA 141-236  |
| Reactivity:          | Rat   |
| Host:                | Rabbit  |
| Clonality:           | Polyclonal  |
| Conjugate:           | This ILP-2 antibody is conjugated to Cy5.5  |
| Application:         | Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

### **Product Details**

| Immunogen:            | KLH conjugated synthetic peptide derived from human ILP2 |
|-----------------------|--|
| Isotype:              | IgG  |
| Cross-Reactivity:     | Rat  |
| Predicted Reactivity: | Human, Mouse, Chicken, Rabbit                            |
| Purification:         | Purified by Protein A.                                   |

## Target Details

| Target:           | ILP-2 (BIRC8)         |
|-------------------|-----------------------|
| Alternative Name: | ILP2 (BIRC8 Products) |

#### **Target Details**

#### Background:

Synonyms: Baculoviral IAP repeat containing 8, Baculoviral IAP repeat containing protein 8, Baculoviral IAP repeat-containing protein 8, BIRC 8, BIRC8, BIRC8 protein, BIRC8\_HUMAN, hILP 2, hILP2, IAP like protein 2, IAP-like protein 2, ILP 2, ILP-2, Inhibitor of apoptosis like protein 2, Inhibitor of apoptosis-like protein 2, Testis specic inhibitor of apoptosis, Testis-specic inhibitor of apoptosis.

Background: Protects against apoptosis mediated by BAX.Apoptosis, or programmed cell death, is related to many diseases, such as cancer. Apoptosis is triggered by a variety of stimuli including members in the TNF family and prevented by the inhibitor of apoptosis (IAP) proteins. IAP proteins form a conserved gene family including IAP, XIAP/ILP-1/MIHA, and Livin/KIAP that bind to and inhibits specific proteases. A novel member in the IAP protein family was recently identified and designated ILP-2 for IAP-like protein-2 (1). ILP-2 has high homology to ILP-1, but is encoded by a distinct gene that is solely expressed in testis of tested normal human tissues (1). ILP-2, unlike ILP-1, has no inhibitory effect on Fas and TNF induced apoptosis, but potently inhibits apoptosis induced by overexpression of Bax or by coexpression of caspase-9 with Apaf-1. ILP-2 interacts with the processed caspase-9. These results suggest that ILP-2 is a novel IAP family member with restricted specificity for caspase-9.

Gene ID:

112401

#### **Application Details**

| Application No | otes: |
|----------------|-------|
|----------------|-------|

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

#### Handling

| Format:            | Liquid   |
|--------------------|--|
| Concentration:     | 1 μg/μL  |
| Buffer:            | Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 $\%$ BSA, 0.03 $\%$ Proclin300 and 50 $\%$ Glycerol. |
| Preservative:      | ProClin  |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.   |

## Handling

| Storage:         | -20 °C  |
|------------------|---|
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date:     | 12 months   |