antibodies -online.com





anti-ARHGEF12 antibody (AA 515-615) (Alexa Fluor 488)



		do to i roduct page

()	1 /	0	rv	/ 1 /	71	Α.
	1//	\vdash	1 \/	16		1/1/
\sim	v	\sim	1 V	١,	_	v v

Quantity:	100 μL
Target:	ARHGEF12
Binding Specificity:	AA 515-615
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ARHGEF12 antibody is conjugated to Alexa Fluor 488
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human LARG
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Pig,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	ARHGEF12
Alternative Name:	LARG (ARHGEF12 Products)

Target Details

Background:	Synonyms: ARHGEF12, KIAA0382, leukemia-associated rho guanine nucleotide exchange
	factor, Leukemia-associated RhoGEF, PRO2792, Rho guanine exchange factor GEF 12, Rho
	guanine nucleotide exchange factor GEF 12, Rho guanine nucleotide exchange factor 12,
	Similar to Mouse Lsc oncogene, ARHGC_HUMAN.
	Background: Rho GTPases play a fundamental role in numerous cellular processes that are
	initiated by extracellular stimuli that work through G protein coupled receptors. The encoded
	protein may form a complex with G proteins and stimulate Rho-dependent signals. This protein
	is observed to form myeloid/lymphoid fusion partner in acute myeloid leukemia (from
	EntrezGene). LARG has also been implicated in linking heterotrimeric G proteins to microtubule
	organisation in regulation of cell polarity.
Gene ID:	23365
Pathways:	Neurotrophin Signaling Pathway, Regulation of G-Protein Coupled Receptor Protein Signaling
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months