

Datasheet for ABIN904636

anti-LCAT antibody (AA 151-250) (AbBy Fluor® 647)



Go to Product page

U	٧	е	ſ١	/	е	V	V

- OVERVIEW	
Quantity:	100 μL
Target:	LCAT
Binding Specificity:	AA 151-250
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This LCAT antibody is conjugated to AbBy Fluor® 647
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	

Immunogen:	KLH conjugated synthetic peptide derived from human LCAT	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Predicted Reactivity:	Dog,Cow,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	LCAT
Alternative Name:	Lcat (LCAT Products)

Target Details

Background:	Synonyms: Phosphatidylcholine-sterol acyltransferase, Lecithin-cholesterol acyltransferase,
	Phospholipid-cholesterol acyltransferase, LCAT
	Background: Central enzyme in the extracellular metabolism of plasma lipoproteins.
	Synthesized mainly in the liver and secreted into plasma where it converts cholesterol and
	phosphatidylcholines (lecithins) to cholesteryl esters and lysophosphatidylcholines on the
	surface of high and low density lipoproteins (HDLs and LDLs). The cholesterol ester is then
	transported back to the liver. Has a preference for plasma 16:0-18:2 or 18:0-18:2
	phosphatidylcholines. Also produced in the brain by primary astrocytes, and esterifies free
	cholesterol on nascent APOE-containing lipoproteins secreted from glia and influences cerebral
	spinal fluid (CSF) APOE- and APOA1 levels. Together with APOE and the cholesterol transporter
	ABCA1, plays a key role in the maturation of glial-derived, nascent lipoproteins. Required for
	remodeling high-density lipoprotein particles into their spherical forms.
Gene ID:	3931
UniProt:	P04180
Pathways:	Lipid Metabolism
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months