antibodies .- online.com





anti-MAGEA10 antibody (AA 241-340) (Alexa Fluor 350)



Go to Product page

()	11/0	K\ /	iew	1
	\cup	ועוי	$\square \vee \vee$	ı

Quantity:	100 μL		
Target:	MAGEA10		
Binding Specificity:	AA 241-340		
Reactivity:	Human		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This MAGEA10 antibody is conjugated to Alexa Fluor 350		
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))		

Product Details

Immunogen:	munogen: KLH conjugated synthetic peptide derived from human MAGEA10		
Isotype:	IgG		
Predicted Reactivity:	Human,Mouse,Rat,Cow,Sheep		
Purification:	Purified by Protein A.		

Target Details

Target:	MAGEA10		
Alternative Name: MAGEA10 (MAGEA10 Products)			
Background:	Synonyms: Cancer/testis antigen 1.10, CT1.10, MAGE 10 antigen, MAGE10, Melanoma antigen		

family A 10, Melanoma associated antigen 10, MAGAA_HUMAN.	family	A 10, N	<i>Melanoma</i>	associated	antigen	10,	MAGAA_HUMAN.
---	--------	---------	-----------------	------------	---------	-----	--------------

Background: This gene is a member of the MAGEA gene family. The members of this family encode proteins with 50 to 80 % sequence identity to each other. The promoters and first exons of the MAGEA genes show considerable variability, suggesting that the existence of this gene family enables the same function to be expressed under different transcriptional controls. The MAGEA genes are clustered at chromosomal location Xq28. They have been implicated in some hereditary disorders, such as dyskeratosis congenita. Alternative splicing results in multiple transcript variants. Read-through transcription also exists between this gene and the downstream melanoma antigen family A, 5 (MAGEA5) gene.[provided by RefSeq, Oct 2011].

Gene ID:

4109

Application Details

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

Handling

Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 at 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	age Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	