# antibodies .- online.com





# anti-MAGEA5 antibody (AA 41-124) (Alexa Fluor 647)



Go to Product page

| / N    | 1   | -        | K   | /1  | 01     | A /         |
|--------|-----|----------|-----|-----|--------|-------------|
|        | 1// | $\vdash$ | 1 \ | / I | e      | <b>\/\/</b> |
| $\sim$ | ٧.  | $\sim$   | 1 V |     | $\sim$ | v v         |

| Quantity:            | 100 μL   |
|----------------------|--|
| Target:              | MAGEA5   |
| Binding Specificity: | AA 41-124  |
| Reactivity:          | Human  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This MAGEA5 antibody is conjugated to Alexa Fluor 647  |
| Application:         | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

#### **Product Details**

| Immunogen:        | KLH conjugated synthetic peptide derived from human MAGEA5 |  |
|-------------------|--|--|
| Isotype:          | IgG  |  |
| Cross-Reactivity: | Human  |  |
| Purification:     | Purified by Protein A.                                     |  |

## **Target Details**

| Target:           | MAGEA5  |
|-------------------|---|
| Alternative Name: | MAGEA5 (MAGEA5 Products)  |
| Background:       | Synonyms: Cancer/testis antigen 1.5, Cancer/testis antigen family 1 member 5, CT1.5, MAGE 5 |

| antigen, MAGE 5a antigen, MAGE 5b antigen, MAGE5, MAGEA4, Melanoma antigen family A 5 | , |
|---|---|
| Melanoma associated antigen 5, MGC129526, MAGA5_HUMAN.                                |   |

Background: MAGEA5 is a member of the MAGEA gene family. The members of this family encode proteins with 50 to 80 % sequence identity to each other. The promoters and first exons of the MAGEA genes show considerable variability, suggesting that the existence of this gene family enables the same function to be expressed under different transcriptional controls. The MAGEA genes are clustered at chromosomal location Xq28. They have been implicated in some hereditary disorders, such as dyskeratosis congenita. This MAGEA gene encodes a protein that is C-terminally truncated compared to other family members, and this gene can be alternatively interpreted to be a pseudogene.

Gene ID:

4104

## **Application Details**

| Application Notes: | IF(IHC-P) 1:50-200 |
|--------------------|--------------------|
|                    | IF(IHC-F) 1:50-200 |

IF(ICC) 1:50-200

Restrictions: For Research Use only

#### Handling

| Format:            | Liquid   |
|--------------------|--|
| Concentration:     | 1 μg/μL  |
| Buffer:            | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.         |
| Preservative:      | ProClin  |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage:           | -20 °C   |
| Storage Comment:   | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.                                  |
| Expiry Date:       | 12 months  |