antibodies -online.com





Datasheet for ABIN906226

anti-METTL11A antibody (AA 25-130) (Alexa Fluor 350)



Go to Product page

()	1 /	0	rv	/ 1 /	71	Α.
	1//	\vdash	1 \/	16		1/1/
\sim	v	\sim	1 V	١,	_	v v

Quantity:	100 μL	
Target:	METTL11A	
Binding Specificity:	AA 25-130	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This METTL11A antibody is conjugated to Alexa Fluor 350	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human METTL11A	
Isotype:	IgG	
Cross-Reactivity:	Mouse, Rat	
Predicted Reactivity:	Human,Dog,Cow,Pig,Horse,Chicken	
Purification:	Purified by Protein A.	

Target Details

Target:	METTL11A
Alternative Name:	METTL11A (METTL11A Products)

Target Details

•	
Background:	Synonyms: NRMT, NTM1A, AD-003, HOMT1A, C9orf32, METTL11A, N-terminal Xaa-Pro-Lys N-
	methyltransferase 1, Alpha N-terminal protein methyltransferase 1A, Methyltransferase-like
	protein 11A, N-terminal RCC1 methyltransferase, X-Pro-Lys N-terminal protein
	methyltransferase 1A, NTMT1, NRMT1
	Background: Distributive alpha-N-methyltransferase that methylates the N-terminus of target
	proteins containing the N-terminal motif [Ala/Pro/Ser]-Pro-Lys when the initiator Met is cleaved.
	Specifically catalyzes mono-, di- or tri-methylation of exposed alpha-amino group of Ala or Ser
	residue in the [Ala/Ser]-Pro-Lys motif and mono- or di-methylation of Pro in the Pro-Pro-Lys
	motif. Some of the substrates may be primed by METTL11B-mediated monomethylation.
	Responsible for the N-terminal methylation of KLHL31, MYL2, MYL3, RB1, RCC1, RPL23A and
	SET. Required during mitosis for normal bipolar spindle formation and chromosome
	segregation via its action on RCC1.
Gene ID:	28989
UniProt:	Q9BV86
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

1 1		1 .
ш	lond.	lina
	land	1111(

Expiry Date:

12 months