antibodies -online.com







anti-METTL11A antibody (AA 25-130) (Alexa Fluor 647)



\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL	
Target:	METTL11A	
Binding Specificity:	AA 25-130	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This METTL11A antibody is conjugated to Alexa Fluor 647	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human METTL11A	
Isotype:	IgG	
Cross-Reactivity:	Mouse, Rat	
Predicted Reactivity:	Human,Dog,Cow,Pig,Horse,Chicken	
Purification:	Purified by Protein A.	

Target Details

Target:	METTL11A
Alternative Name:	METTL11A (METTL11A Products)

Target Details

Background:	Synonyms: NRMT, NTM1A, AD-003, HOMT1A, C9orf32, METTL11A, N-terminal Xaa-Pro-Lys N-	
	methyltransferase 1, Alpha N-terminal protein methyltransferase 1A, Methyltransferase-like	
	protein 11A, N-terminal RCC1 methyltransferase, X-Pro-Lys N-terminal protein	
	methyltransferase 1A, NTMT1, NRMT1	
	Background: Distributive alpha-N-methyltransferase that methylates the N-terminus of target	
	proteins containing the N-terminal motif [Ala/Pro/Ser]-Pro-Lys when the initiator Met is cleaved.	
	Specifically catalyzes mono-, di- or tri-methylation of exposed alpha-amino group of Ala or Ser	
	residue in the [Ala/Ser]-Pro-Lys motif and mono- or di-methylation of Pro in the Pro-Pro-Lys	
	motif. Some of the substrates may be primed by METTL11B-mediated monomethylation.	
	Responsible for the N-terminal methylation of KLHL31, MYL2, MYL3, RB1, RCC1, RPL23A and	
	SET. Required during mitosis for normal bipolar spindle formation and chromosome	
	segregation via its action on RCC1.	
Gene ID:	28989	
UniProt:	Q9BV86	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
	·	

\vdash	land	lına
	iaria	шц

Expiry Date:

12 months