

[Go to Product page](#)

Datasheet for ABIN906229

**anti-METTL11A antibody (AA 25-130) (Alexa Fluor 555)**

## Overview

|                      |  |
|----------------------|--|
| Quantity:            | 100 µL   |
| Target:              | METTL11A   |
| Binding Specificity: | AA 25-130  |
| Reactivity:          | Mouse, Rat   |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This METTL11A antibody is conjugated to Alexa Fluor 555  |
| Application:         | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

## Product Details

|                       |  |
|-----------------------|--|
| Immunogen:            | KLH conjugated synthetic peptide derived from human METTL11A |
| Isotype:              | IgG  |
| Cross-Reactivity:     | Mouse, Rat   |
| Predicted Reactivity: | Human,Dog,Cow,Pig,Horse,Chicken                              |
| Purification:         | Purified by Protein A.                                       |

## Target Details

|                   |  |
|-------------------|--|
| Target:           | METTL11A                                       |
| Alternative Name: | METTL11A ( <a href="#">METTL11A Products</a> ) |

## Target Details

|             |   |
|-------------|---|
| Background: | <p>Synonyms: NRMT, NTM1A, AD-003, HOMT1A, C9orf32, METTL11A, N-terminal Xaa-Pro-Lys N-methyltransferase 1, Alpha N-terminal protein methyltransferase 1A, Methyltransferase-like protein 11A, N-terminal RCC1 methyltransferase, X-Pro-Lys N-terminal protein methyltransferase 1A, NTMT1, NRMT1</p> <p>Background: Distributive alpha-N-methyltransferase that methylates the N-terminus of target proteins containing the N-terminal motif [Ala/Pro/Ser]-Pro-Lys when the initiator Met is cleaved. Specifically catalyzes mono-, di- or tri-methylation of exposed alpha-amino group of Ala or Ser residue in the [Ala/Ser]-Pro-Lys motif and mono- or di-methylation of Pro in the Pro-Pro-Lys motif. Some of the substrates may be primed by METTL11B-mediated monomethylation. Responsible for the N-terminal methylation of KLHL31, MYL2, MYL3, RB1, RCC1, RPL23A and SET. Required during mitosis for normal bipolar spindle formation and chromosome segregation via its action on RCC1.</p> |
|-------------|---|

|          |       |
|----------|-------|
| Gene ID: | 28989 |
|----------|-------|

|          |                        |
|----------|------------------------|
| UniProt: | <a href="#">Q9BV86</a> |
|----------|------------------------|

## Application Details

|                    |  |
|--------------------|--|
| Application Notes: | IF(IHC-P) 1:50-200<br>IF(IHC-F) 1:50-200<br>IF(ICC) 1:50-200 |
|--------------------|--|

|               |                       |
|---------------|-----------------------|
| Restrictions: | For Research Use only |
|---------------|-----------------------|

## Handling

|                    |  |
|--------------------|--|
| Format:            | Liquid   |
| Concentration:     | 1 µg/µL  |
| Buffer:            | Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.        |
| Preservative:      | ProClin  |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage:           | -20 °C   |
| Storage Comment:   | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.                                  |

## Handling

---

Expiry Date: 12 months