antibodies .- online.com





anti-Nerve Growth Factor Receptor (TNFRSF16) Associated Protein 1 (NGFRAP1) (AA 34-111) antibody (Alexa Fluor 488)



Go to Product page

()	10	K\ /	01	A /
()	ve	I \/ I	╙	/\/

Overview		
Quantity:	100 μL	
Target:	Nerve Growth Factor Receptor (TNFRSF16) Associated Protein 1 (NGFRAP1)	
Binding Specificity:	AA 34-111	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	Alexa Fluor 488	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		

Immunogen:	KLH conjugated synthetic peptide derived from human NADE/NGFRAP1	
Isotype:	IgG	
Cross-Reactivity:	Rat	
Predicted Reactivity:	ctivity: Human,Mouse,Dog,Cow,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	Nerve Growth Factor Receptor (TNFRSF16) Associated Protein 1 (NGFRAP1)
Alternative Name:	NGFRAP1 (NGFRAP1 Products)

Target Details

-		
Background:	Synonyms: BEX3, BEX3_HUMAN, Brain expressed X linked 3 mouse homolog, Brain-expressed	
	X-linked protein 3, Nerve growth factor receptor TNFRSF16 associated protein 1, Nerve growth	
	factor receptor associated protein 1, Nerve growth factor receptor-associated protein 1,	
	NGFRAP1, Ovarian granulosa cell 13.0 kDa protein HGR74, Ovarian granulosa cell protein,	
	p75NTR associated cell death executor, p75NTR-associated cell death executor, Protein BEX3.	
	Background: May be a signaling adapter molecule involved in p75NTR-mediated apoptosis	
	induced by NGF. Plays a role in zinc-triggered neuronal death (By similarity). May play an	
	important role in the pathogenesis of neurogenetic diseases. Tissue specificity: Found in	
	ovarian granulosa cells, testis, prostate and seminal vesicle tissue. High levels also detected in	
	liver.	
Gene ID:	27018	
Pathways:	Neurotrophin Signaling Pathway, Positive Regulation of Endopeptidase Activity	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	