antibodies - online.com







anti-NLRP4 antibody (AA 351-450) (FITC)



| () | 1/0 | r\ /1 | 014 | |
|-----|-----|-------|-----|---|
| () | ve | I V I | -v | V |
| | | | | |

| Quantity: | 100 μL | |
|----------------------|---|--|
| Target: | NLRP4 | |
| Binding Specificity: | AA 351-450 | |
| Reactivity: | Human, Rat | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This NLRP4 antibody is conjugated to FITC | |
| Application: | Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) | |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human NALP4 | |
|-----------------------|---|--|
| Isotype: | IgG | |
| Specificity: | This antibody will detect multiple forms of NALP4, including the A, C and E Mouse variants. | |
| Cross-Reactivity: | Human, Rat | |
| Predicted Reactivity: | Mouse,Pig,Horse | |
| Purification: | Purified by Protein A. | |

Target Details

Target Details

| - | | |
|---------------------|--|--|
| Alternative Name: | NALP4 (NLRP4 Products) | |
| Background: | Synonyms: NACHT, LRR and PYD domains-containing protein 4, Cancer/testis antigen 58, | |
| | CT58, PAAD and NACHT-containing protein 2, PAN2, PYRIN and NACHT-containing protein 2, | |
| | PYRIN-containing APAF1-like protein 4, PYPAF4, Ribonuclease inhibitor 2, NLRP4, NALP4, | |
| | RNH2 | |
| | Background: May be involved in inflammation and recognition of cytosolic pathogen-associated | |
| | molecular patterns (PAMPs) not intercepted by membrane-bound receptors. Acts as a negative | |
| | regulator of the type I interferon signaling pathway by serving as an adapter to promote DTX4- | |
| | mediated ubiquitination of activated TBK1, and its subsequent degradation. Suppresses NF- | |
| | kappaB induction by the cytokines TNFA and IL1B, suggesting that it operates at a point of | |
| | convergence in these two cytokine signaling pathways. | |
| Gene ID: | 147945 | |
| UniProt: | Q96MN2 | |
| Pathways: | Inflammasome | |
| Application Details | | |
| Application Notes: | IF(IHC-P) 1:50-200 | |
| | IF(IHC-F) 1:50-200 | |
| | IF(ICC) 1:50-200 | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Concentration: | 1 μg/μL | |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and | |
| | 50 % Glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be | |
| | handled by trained staff only. | |
| Storage: | -20 °C | |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. | |
| | | |

| 1 1 | | |
|----------------|------------------------|-------|
| \blacksquare | $\alpha \alpha \alpha$ | lina |
| | land | 1111(|
| | I G I G | 11119 |
| | | |

Expiry Date:

12 months