antibodies -online.com





anti-NME5 antibody (AA 81-150) (Alexa Fluor 488)



Go to Product page

()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL	
Target:	NME5	
Binding Specificity:	AA 81-150	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This NME5 antibody is conjugated to Alexa Fluor 488	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human NME5/IPIA beta	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	NME5
Alternative Name:	NME5 (NME5 Products)
Background: Synonyms: Inhibitor of p53 induced apoptosis beta, IPIA beta, NDK-H 5, NDP kinase homolo	

NM23 H5, Nm23-M5, NM23H5, Non-metastatic c	ells 5, protein expressed in nucleoside-
diphosphate kinase, Nonmetastatic cells 5, protei	n expressed in, Nonmetastatic protein 23,
homolog 5, Nucleoside diphosphate kinase homo	log 5, RSPH23, Testis specic nm23 homolog,
NDK5_HUMAN.	

Background: NME5 does not seem to have NDK kinase activity but confers protection from cell death by Bax and alters the cellular levels of several antioxidant enzymes including Gpx5. It may play a role in spermiogenesis by increasing the ability of late-stage spermatids to eliminate reactive oxygen species. NME5 is specifically expressed in testis germinal cells.

Gene ID: 8382

Pathways: Nucleotide Phosphorylation, Ribonucleoside Biosynthetic Process, Negative Regulation of

intrinsic apoptotic Signaling

Application Details

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months