

Datasheet for ABIN908637

anti-Reticulon 4 antibody (AA 251-357) (AbBy Fluor® 350)



Go to Product page

| _ | | | | | | |
|---|-------|-------------|----|----|-------------|-----|
| | V | \triangle | r۱ | /1 | \triangle | Λ/ |
| | ' V ' | | ΙV | | | v v |

| Quantity: | 100 μL | |
|----------------------|--|--|
| Target: | Reticulon 4 (RTN4) | |
| Binding Specificity: | AA 251-357 | |
| Reactivity: | Human, Mouse | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This Reticulon 4 antibody is conjugated to AbBy Fluor® 350 | |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) | |
| | | |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from Mouse Reticulon 4 |
|-----------------------|--|
| Isotype: | IgG |
| Specificity: | Based on the location of the target sequence this antibody will recognize all isoforms (Nogo-A, Nogo-B, and Nogo-C). |
| Cross-Reactivity: | Human, Mouse |
| Predicted Reactivity: | Rat,Dog,Sheep |
| Purification: | Purified by Protein A. |

Target Details

| Target: | Reticulon 4 (RTN4) |
|---------------------|--|
| Alternative Name: | Reticulon 4 (RTN4 Products) |
| Background: | Synonyms: Reticulon-4, Rtn4, Neurite outgrowth inhibitor, Nogo protein, Foocen, |
| | Neuroendocrine-specific protein, NSP, euroendocrine-specific protein C homolog, RTN-x, |
| | Reticulon-5, RTN 4A, Nogo-A, RTN-xL, RTN 4B, ASY, Nogo-B, RTN-xS, Foocen-M, RTN 4C, Nogo- |
| | C, Foocen-S, RTN4-B2, Rtn-T |
| | Background: Reticulons are associated with the endoplasmic reticulum, and are involved in |
| | neuroendocrine secretion or in membrane trafficking in neuroendocrine cells. The reticulon |
| | protein is a potent neurite outgrowth inhibitor which may also help block the regeneration of the |
| | central nervous system in higher vertebrates. Developmental neurite growth regulatory factor |
| | with a role as a negative regulator of axon-axon adhesion and growth, and as a facilitator of |
| | neurite branching. Reticulon 4 regulates neurite fasciculation, branching and extension in the |
| | developing nervous system. Involved in down-regulation of growth, stabilization of wiring and |
| | restriction of plasticity in the adult CNS. It regulates the radial migration of cortical neurons via |
| | an RTN4R-LINGO1 containing receptor complex. May inhibit BACE1 activity and amyloid |
| | precursor protein processing. |
| Gene ID: | 68585 |
| UniProt: | Q99P72 |
| Pathways: | Neurotrophin Signaling Pathway, Regulation of Cell Size, SARS-CoV-2 Protein Interactome |
| Application Details | |
| Application Notes: | IF(IHC-P) 1:50-200 |
| | IF(IHC-F) 1:50-200 |
| | IF(ICC) 1:50-200 |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| 0 | 1 μg/μL |
| Concentration: | |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and |
| | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |

Handling

| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
|--------------------|--|
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |