

Datasheet for ABIN908966

anti-Neuropilin 1 antibody (AA 851-923) (AbBy Fluor® 647)



Go to Product page

_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

Quantity:	100 μL	
Target:	Neuropilin 1 (NRP1)	
Binding Specificity:	AA 851-923	
Reactivity:	Human, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Neuropilin 1 antibody is conjugated to AbBy Fluor® 647	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
	(i drainii eribedded dections) (ii (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human neuropilin-1	
Isotype:	IgG	
Cross-Reactivity:	Human, Rat	
Predicted Reactivity:	Mouse,Sheep,Chicken	
Purification:	Purified by Protein A.	
Target Details		
Target:	Neuropilin 1 (NRP1)	
Alternative Name:	Neuropilin 1 (NRP1 Products)	

Target Details

rarget betails		
Background:	Synonyms: NP1, NRP, BDCA4, CD304, VEGF165R, Neuropilin-1, Vascular endothelial cell growth	
	factor 165 receptor, NRP1	
	Background: The membrane-bound isoform 1 is a receptor involved in the development of the	
	cardiovascular system, in angiogenesis, in the formation of certain neuronal circuits and in	
	organogenesis outside the nervous system. It mediates the chemorepulsant activity of	
	semaphorins. It binds to semaphorin 3A, The PLGF-2 isoform of PGF, The VEGF-165 isoform of	
	VEGF and VEGF-B. Coexpression with KDR results in increased VEGF-165 binding to KDR as	
	well as increased chemotaxis. It may regulate VEGF-induced angiogenesis. The soluble isoform	
	2 binds VEGF-165 and appears to inhibit its binding to cells. It may also induce apoptosis by	
	sequestering VEGF-165. May bind as well various members of the semaphorin family. Its	
	expression has an averse effect on blood vessel number and integrity.	
Gene ID:	8829	
UniProt:	014786	
Pathways:	Regulation of Cell Size, Signaling Events mediated by VEGFR1 and VEGFR2, Smooth Muscle	
	Cell Migration, Platelet-derived growth Factor Receptor Signaling, VEGFR1 Specific Signals	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
, pp. od. o	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months