





anti-Acid Phosphatase antibody (AA 71-158) (Alexa Fluor 350)



Go to Product page

\sim						
	1//	\Box	r۱	/1	0	Λ

Quantity:	100 μL	
Target:	Acid Phosphatase (ACP)	
Binding Specificity:	AA 71-158	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Acid Phosphatase antibody is conjugated to Alexa Fluor 350	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Acid Phosphatase	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Dog,Cow,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	Acid Phosphatase (ACP)	
Alternative Name:	Acid Phosphatase (ACP Products)	

Target Details

Background:	Synonyms: Acid phosphatase 1 soluble, Acid phosphatase of erythrocyte, Adipocyte acid				
	phosphatase, Cytoplasmic phosphotyrosyl protein phosphatase, HAAP, Low molecular weight				
	phosphotyrosine protein phosphatase, PAP1, PAP2, Protein tyrosine phosphatase, PTPase,				
	Purple acid phosphatase, Red cell acid phosphatase 1, PPAC_HUMAN.				
	Background: Phosphatase enzymes catalyse hydrolysis of phosphoric acid esters of various				
	alcohols, e.g. a hexose phosphate, to yield the alcohol and free inorganic phosphate. This may				
	be a way of recycling phosphate in the cell, and the level of phosphate may be elevated under				
	conditions of phosphate starvation (in algae for example). Acid phosphatases have pH optima				
	below 7, whereas alkaline phosphatases are most active above pH 7. Commercial quantities of				
	acid phosphatase are obtained from plant sources e.g. potato and wheat germ, whereas similar				
	quantities of alkaline phosphatase are obtained from animal intestine and bacteria.				
Gene ID:	5068				
Application Details					
Application Notes:	IF(IHC-P) 1:50-200				
	IF(IHC-F) 1:50-200				
	IF(ICC) 1:50-200				
Restrictions:	For Research Use only				
Handling					
Format:	Liquid				
Concentration:	1 μg/μL				
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and				
	50 % Glycerol.				
Preservative:	ProClin				
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be				
	handled by trained staff only.				
Storage:	-20 °C				
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.				
Expiry Date:	12 months				