# antibodies .- online.com





## anti-PLCz1 antibody (AA 351-450) (Alexa Fluor 488)



Go to Product page

$\sim$					
()	VE	۲۱	/1	$\triangle$	Λ

Quantity:	100 μL	
Target:	PLCz1	
Binding Specificity:	AA 351-450	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PLCz1 antibody is conjugated to Alexa Fluor 488	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human PLCZ1	
Isotype:	IgG	
Cross-Reactivity:	Rat	
Predicted Reactivity:	Human,Mouse,Dog,Cow,Pig,Horse	
Purification:	Purified by Protein A.	

#### **Target Details**

Target:	PLCz1
Alternative Name:	PLCZ1 (PLCz1 Products)

### Target Details

•				
Background:	Synonyms: PLCzeta, NYD-SP27, PLC-zeta-1, 1-phosphatidylinositol 4,5-bisphosphate			
	phosphodiesterase zeta-1, Phosphoinositide phospholipase C-zeta-1, Phospholipase C-zeta-1,			
	Testis-development protein NYD-SP27, PLCZ1, PLCZ1_HUMAN			
	Background: The production of the second messenger molecules diacylglycerol (DAG) and			
	inositol 1,4,5-trisphosphate (IP3) is mediated by activated phosphatidylinositol-specific			
	phospholipase C enzymes. In vitro, hydrolyzes PtdIns(4,5)P2 in a Ca(2+)-dependent manner.			
	Triggers intracellular Ca(2+) oscillations in oocytes solely during M phase and is involved in			
	inducing oocyte activation and initiating embryonic development up to the blastocyst stage. Is			
	therefore a strong candidate for the egg-activating soluble sperm factor that is transferred from			
	the sperm into the egg cytoplasm following gamete membrane fusion. May exert an inhibitory			
	effect on phospholipase-C-coupled processes that depend on calcium ions and protein kinase			
	C, including CFTR trafficking and function.			
Gene ID:	89869			
UniProt:	Q86YW0			
Application Details				
Application Notes:	IF(IHC-P) 1:50-200			
	IF(IHC-F) 1:50-200			
	IF(ICC) 1:50-200			
Restrictions:	For Research Use only			
Handling				
Format:	Liquid			
Concentration:	1 μg/μL			
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and			
	50 % Glycerol.			
Preservative:	Sodium azide			
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which			
	should be handled by trained staff only.			
Storage:	-20 °C			
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.			

1 1		11	1:	_
Н	ar	nd	IIN	Q

Expiry Date:

12 months