antibodies -online.com







Co to Droduct pag

Datasheet for ABIN911375

anti-PLCz1 antibody (AA 351-450) (Alexa Fluor 555)

Overview		
Quantity:	100 μL	
Target:	PLCz1	
Binding Specificity:	AA 351-450	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PLCz1 antibody is conjugated to Alexa Fluor 555	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human PLCZ1	
Isotype:	IgG	

Immunogen:	KLH conjugated synthetic peptide derived from human PLCZ1	
Isotype:	IgG	
Cross-Reactivity:	Rat	
Predicted Reactivity:	Human,Mouse,Dog,Cow,Pig,Horse	
Purification:	Purified by Protein A.	

Target Details

Target:	PLCz1
Alternative Name:	PLCZ1 (PLCz1 Products)

Target Details

· ·		
Background:	Synonyms: PLCzeta, NYD-SP27, PLC-zeta-1, 1-phosphatidylinositol 4,5-bisphosphate	
	phosphodiesterase zeta-1, Phosphoinositide phospholipase C-zeta-1, Phospholipase C-zeta-1,	
	Testis-development protein NYD-SP27, PLCZ1, PLCZ1_HUMAN	
	Background: The production of the second messenger molecules diacylglycerol (DAG) and	
	inositol 1,4,5-trisphosphate (IP3) is mediated by activated phosphatidylinositol-specific	
	phospholipase C enzymes. In vitro, hydrolyzes PtdIns(4,5)P2 in a Ca(2+)-dependent manner.	
	Triggers intracellular Ca(2+) oscillations in oocytes solely during M phase and is involved in	
	inducing oocyte activation and initiating embryonic development up to the blastocyst stage. Is	
	therefore a strong candidate for the egg-activating soluble sperm factor that is transferred from	
	the sperm into the egg cytoplasm following gamete membrane fusion. May exert an inhibitory	
	effect on phospholipase-C-coupled processes that depend on calcium ions and protein kinase	
	C, including CFTR trafficking and function.	
Gene ID:	89869	
UniProt:	Q86YW0	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	

Н	land	lına
	iaria	шц

Expiry Date:

12 months