# antibodies -online.com





## anti-PPM1G antibody (AA 233-320) (AbBy Fluor® 350)



( )	1 /	0	rv	/ 1 /	71	Α.
	1//	-	1 \/	16		1/1/
$\sim$	v	$\sim$	1 V	١,	_	v v

Quantity:	100 μL
Target:	PPM1G
Binding Specificity:	AA 233-320
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PPM1G antibody is conjugated to AbBy Fluor® 350
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human PPM1G	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Pig,Rabbit	
Purification:	Purified by Protein A.	

### **Target Details**

Target:	PPM1G
Alternative Name:	PPM1G (PPM1G Products)
Background:	Synonyms: PP2C, MGC1675, MGC2870, PP2C gamma, PP2C-gamma, PP2CG, PPM1G,

Target Details	
	PPM1G_HUMAN, PPP2CG, Protein phosphatase 1C, Protein phosphatase 1G, Protein phosphatase 2 catalytic subunit gamma isoform, Protein phosphatase 2C gamma isoform, Protein phosphatase 2C isoform gamma, Protein phosphatase magnesium dependent 1 gamma, Protein phosphatase magnesium-dependent 1 gamma.  Background: Tissue specificity:Widely expressed. Most abundant in testis, skeletal muscle, and heart.
Gene ID:	5496
Application Details	
Application Notes:	IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months