

Datasheet for ABIN911968

anti-PPP2R1A antibody (AA 166-255) (AbBy Fluor® 488)



Go to Product page

_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

Quantity:	100 μL	
Target:	PPP2R1A	
Binding Specificity:	AA 166-255	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PPP2R1A antibody is conjugated to AbBy Fluor® 488	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human PPP2R1A	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Predicted Reactivity:	Rat,Dog,Cow,Pig,Horse	
Purification:	Purified by Protein A.	
Target Details		
<u> </u>		
Target:	PPP2R1A	

Target Details

Background:

Synonyms: PP2A, PP2A subunit A PR65-alpha isoform, PP2A subunit A R1 alpha isoform, PP2A, subunit A, PR65-alpha isoform, PP2A, subunit A, R1-alpha isoform, PPP2R1A, ppp2r1a-b, PR65, PR65A, Protein phosphatase 2 formerly 2A, regulatory subunit A PR 65, alpha isoform, Protein phosphatase 2 Formerly 2A, regulatory subunit A PR 65, alpha isoform, isoform CRA_a, Protein phosphatase 2 formerly 2A, regulatory subunit A, Protein phosphatase 2 regulatory subunit A alpha isoform, Protein phosphatase 2, 65-KD regulatory subunit A, alpha, Protein phosphatase 2, regulatory subunit A, alpha isoform, Protein phosphatase 2, structural/regulatory subunit A, alpha, PPP2R1A, Serine threonine protein phosphatase 65 kDa, Serine/threonine protein phosphatase 2A 65 KDA regulatory subunit A alpha isoform, Serine/threonine-protein phosphatase 2A 65 kDa regulatory subunit A alpha isoform, Alpha isoform of regulatory subunit A, protein phosphatase, DKFZp470L0914, Medium tumor antigen-associated 61 kDa protein, 2AAA_HUMAN.

Background: Protein phosphatase 2A (PP2A) is the most abundant phosphatase specific for serine and threonine phosphorylation in mammalian cells. It consists of a common heteromeric core enzyme, which is composed of a catalytic subunit and a constant regulatory subunit, that associates with a variety of regulatory subunits. The constant regulatory subunit alpha (PPP2R1A) serves as a scaffolding molecule to coordinate the assembly of the catalytic subunit and a variable regulatory beta subunit.

Gene ID:

5518

Pathways:

PI3K-Akt Signaling, Mitotic G1-G1/S Phases, M Phase, Hepatitis C, Toll-Like Receptors Cascades

Application Details

Application Notes:

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

Handling

Format:

Liquid

Concentration:

 $1 \mu g/\mu L$

Buffer:

Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and

50 % Glycerol.

Handling

Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	