antibodies .- online.com







anti-RNF126 antibody (AA 51-150) (Alexa Fluor 488)



\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL
Target:	RNF126
Binding Specificity:	AA 51-150
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RNF126 antibody is conjugated to Alexa Fluor 488
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human RNF126	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Predicted Reactivity:	Rat,Cow	
Purification:	Purified by Protein A.	

Target Details

Target:	RNF126
Alternative Name:	Rnf126 (RNF126 Products)

Target Details

Background:	Synonyms: E3 ubiquitin-protein ligase RNF126, RING finger protein 126, RNF126
	Background: E3 ubiquitin-protein ligase that regulates several biological processes through
	ubiquitination of various target proteins. Depending on the associated E2 ligase, mediates 'Lys-
	48'- and 'Lys-63'-linked polyubiquitination of substrates. Through their polyubiquitination, may
	play a role in the endosomal sorting and degradation of several membrane receptors including
	EGFR, FLT3, MET and CXCR4. May also be part of a BAG6-dependent quality control process
	ensuring that proteins of the secretory pathway that are mislocalized to the cytosol are
	degraded by the proteasome. May provide the ubiquitin ligase activity associated with the BAG6
	complex and be responsible for ubiquitination of the mislocalized proteins and their targeting to
	the proteasome (PubMed:24981174). May also play a role in the endosomal recycling of IGF2R,
	the cation-independent mannose-6-phosphate receptor (PubMed:24275455). By ubiquitinating
	CDKN1A/p21 and targeting it for degradation, may also promote cell proliferation
	(PubMed:23026136). May monoubiquitinate AICDA (PubMed:23277564).
Gene ID:	55658
UniProt:	Q9BV68
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Н	and	lin	C

Expiry Date:

12 months