

Datasheet for ABIN914125

anti-RUNX3 antibody (AbBy Fluor® 350)



_					
	W	0	rv	10	W

Overview		
Quantity:	100 μL	
Target:	RUNX3	
Reactivity:	Human, Mouse, Rat, Cow, Chicken, Dog	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This RUNX3 antibody is conjugated to AbBy Fluor® 350	
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human Runx3	
Isotype:	IgG	
Cross-Reactivity:	Chicken, Cow, Dog, Human, Mouse, Rat	

Target Details

Purification:

l arget Details	
Target:	RUNX3
Alternative Name:	Runx3 (RUNX3 Products)
Background:	Synonyms: RUNX 3, RUNX-3, Runt-related transcription factor 3, Core-binding factor, alpha 3
	subunit, CBF-alpha 3, Acute myeloid leukemia 2 protein, OncogeneAML-2, Polyomavirus
	enhancer-binding protein 2 alpha C subunit, PEBP2-alpha C, PEA2-alpha C, SL3-3 enhancer
	factor 1 alpha C subunit, SL3/AKV core-binding factor alpha C subunit, Core-binding factor,

Purified by Protein A.

alpha 3 subunit, CBF-alpha 3, Acute myeloid leukemia 2 protein, Oncogene AML-2, Polyomavirus enhancer-binding protein 2 alpha C subunit, PEBP2-alpha C, PEA2-alpha C, SL3-3 enhancer factor 1 alpha C subunit, RUNX3_HUMAN, SL3/AKV core-binding factor alpha C subunit.

Background: RUNX3 binds to the core site of murine Leukemia virus, the core sequences in the enhancer of the polyomavirus, and also to the enhancers of the T-cell receptor genes. May be involved in the control of cellular proliferation and/or differentiation (By similarity). Heterodimer of an alpha and a beta subunit. The alpha subunit binds DNA as a monomer and through the Runt domain.DNA-binding is increased by heterodimerization. Interacts with TLE1 and SUV39H1, Subcellular location in Nucleus.

Molecular Weight: 44kDa

Application Details

864

Restrictions:	For Research Use only
	Optimal working dilution should be determined by the investigator.
Application Notes:	IF(IHC-P)(1:100-500)

Handling

Gene ID:

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months