



[Go to Product page](#)

Datasheet for ABIN914697
anti-SERTAD2 antibody (AA 111-210) (HRP)

Overview

| | |
|----------------------|--|
| Quantity: | 100 µL |
| Target: | SERTAD2 |
| Binding Specificity: | AA 111-210 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This SERTAD2 antibody is conjugated to HRP |
| Application: | ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)) |

Product Details

| | |
|-----------------------|---|
| Immunogen: | KLH conjugated synthetic peptide derived from human SERTAD2 |
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Predicted Reactivity: | Mouse,Rat,Dog,Chicken |
| Purification: | Purified by Protein A. |

Target Details

| | |
|-------------------|--|
| Target: | SERTAD2 |
| Alternative Name: | SERTAD2 (SERTAD2 Products) |

Target Details

| | |
|-------------|---|
| Background: | Synonyms: Sei 2, Sei-2, Sei2, SERTA domain containing 2, SERTA domain-containing protein 2, Transcriptional regulator interacting with the PHD bromodomain 2, Transcriptional regulator interacting with the PHD-bromodomain 2, Transcriptional regulator interacting with the PHS-bromodomain 2, TRIP Br2, TRIP-Br2, KIAA0127, MGC126688, MGC126690, SRTD2_HUMAN. Background: SERTA domain containing 2 (SERTAD2) acts at E2F-responsive promoters to integrate signals provided by PHD- and/or bromodomain-containing transcription factors. |
| Gene ID: | 9792 |

Application Details

| | |
|--------------------|------------------------------------|
| Application Notes: | IHC-P 1:200-400 IHC-F 1:100-500 |
| Restrictions: | For Research Use only |

Handling

| | |
|--------------------|--|
| Format: | Liquid |
| Concentration: | 1 µg/µL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Handling Advice: | Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |