# antibodies -online.com







# anti-Septin 14 antibody (AA 351-432) (Cy7)



#### Overview

Quantity:	100 μL	
Target:	Septin 14 (SEPT14)	
Binding Specificity:	AA 351-432	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Septin 14 antibody is conjugated to Cy7	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human SEPT14	
Isotype:	IgG	
Cross-Reactivity:	Mouse, Rat	
Predicted Reactivity:	Human	
Purification:	Purified by Protein A.	

## Target Details

Target:	Septin 14 (SEPT14)
Alternative Name:	14-Sep (SEPT14 Products)

## **Target Details**

Background:	Synonyms: Septin-14, SEPT14				
	Background: Septin 14, also known as SEPT14, is a 432 amino acid protein that belongs to the				
	septin family. The highly conserved septin family of GTP-binding cytoskeletal proteins is				
	implicated in membrane transport, apoptosis, cell polarity, cell cycle regulation, cytokinesis and				
	other cellular functions. Septins polymerize into heterooligomeric protein complexes that form				
	filaments, and can associate with cellular membranes, actin filaments and microtubules. Septin 14 has a GTPase domain followed by a C-terminal coiled-coil domain characteristic of group II septins. Septin 14 interacted with all septins except those that are members of its phylogenetic				
					cluster, including itself. Septin 14 shares highest identity (67 $\%$ ) with Septin 10. Expressed in
					testis and more weakly in fetal liver, tonsil and thymus, the Septin 14 protein is not detected in
	testicular cancer or other normal or cancer cell lines. The Septin 14 gene is conserved in				
	chimpanzee, dog, cow, mouse and rat, and maps to human chromosome 7p11.2.				
Gene ID:	346288				
UniProt:	Q6ZU15				
Application Details					
Application Notes:	IF(IHC-P) 1:50-200				
	IF(IHC-F) 1:50-200				
	IF(ICC) 1:50-200				
Restrictions:	For Research Use only				
Handling					
Format:	Liquid				
Concentration:	1 μg/μL				
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and				
	50 % Glycerol.				
Preservative:	ProClin				
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.				
Storage:	-20 °C				
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.				

$\vdash$	land	lına
	iaria	шц

Expiry Date:

12 months