antibodies .- online.com





anti-SERINC3 antibody (AA 51-150) (Alexa Fluor 350)



Go to Froduct page

()	۱ ۱	\cap	r	/1	\cap	۱ ۸	1
0	'V	ㄷ	I١	νı	ㄷ	٧	۷

Quantity:	100 μL	
Target:	SERINC3	
Binding Specificity:	AA 51-150	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SERINC3 antibody is conjugated to Alexa Fluor 350	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human SERINC3	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Dog,Cow,Horse,Chicken,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	SERINC3	
Alternative Name:	SERINC3 (SERINC3 Products)	

Target Details

Background:	Synonyms: TMS 1, TMS-1, AIGP1, DF33, SBBI99, serine incorporator 3, TDE, TDE1, Tumor			
	dferentially expressed protein 1, SERC3_HUMAN.			
	Background: TDE1, tumor differentially expressed protein 1, is a multi-pass membrane protein			
	also known as serine incorporator 3. Also found on the membranes of the Golgi apparatus			
	within cells, TDE1 is highly expressed in neuronal populations but is also found in thymus,			
	kidney, liver and testis. Expression levels of TDE1 in tumors can be as much as tenfold the			
	amount found in normal tissue of the same type. This increased expression implicates TDE1 as			
	being involved in the cellular transformation from normal to malignant tissue. It is believed			
	TDE1 contributes to oncogenesis by partially protecting cells from serum starvation and			
	etoposide-induced apoptosis. The mechanism through which TDE1 protects cells is poorly			
	understood, but may involve aberrant methylation of TDE1 complexes.			
Gene ID:	10955			
Application Details				
Application Notes:	IF(IHC-P) 1:50-200			
	IF(IHC-F) 1:50-200			
	IF(ICC) 1:50-200			
Restrictions:	For Research Use only			
Handling				
Format:	Liquid			
Concentration:	1 μg/μL			
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and			
	50 % Glycerol.			
Preservative:	ProClin			
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be			
	handled by trained staff only.			
Storage:	-20 °C			
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.			
Expiry Date:	12 months			