# antibodies - online.com







# anti-SHoc2/Sur8 antibody (AA 36-120) (Cy3)



( )	11/0	K\ /	iew	1
	$\cup$	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	SHoc2/Sur8 (SHOC2)
Binding Specificity:	AA 36-120
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SHoc2/Sur8 antibody is conjugated to Cy3
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human SHOC2/Sur8
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Sheep,Chicken
Purification:	Purified by Protein A.

## **Target Details**

Target:	SHoc2/Sur8 (SHOC2)
Alternative Name:	SHOC2 (SHOC2 Products)

## **Target Details**

Background:	Synonyms: Leucine-rich repeat protein SHOC-2, Leucine-rich repeat protein SHOC-2, Ras-	
	binding protein Sur-8, KIAA0862, Leucine-rich repeat protein SHOC-2, Protein soc-2 homolog,	
	Protein Sur-8 homolog, SHOC2, SHOC2_HUMAN.	
	Background: Regulatory subunit of protein phosphatase 1 (PP1c) that acts as a M-Ras/MRAS	
	effector and participates in MAPK pathway activation. Upon M-Ras/MRAS activation, targets	
	PP1c to specifically dephosphorylate the 'Ser-259' inhibitory site of RAF1 kinase and stimulate	
	RAF1 activity at specialized signaling complexes. Involvement in disease: Defects in SHOC2 are	
	the cause of Noonan syndrome-like with loose anagen hair (NSLAH) . NSLAH children display	
	macrocephaly, high forehead, hypertelorism, palpebral ptosis, low-set and posteriorly rotated	
	ears, short and webbed neck and pectus anomalies. Affected subjects also have easily	
	pluckable, sparse, thin and slow-growing hair.	
Gene ID:	8036	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	