# antibodies -online.com





# anti-SHoc2/Sur8 antibody (AA 36-120) (Alexa Fluor 350)



Go to Product page

$\sim$			
	N/P	r\/	i⊢₩

Quantity:	100 μL
Target:	SHoc2/Sur8 (SHOC2)
Binding Specificity:	AA 36-120
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SHoc2/Sur8 antibody is conjugated to Alexa Fluor 350
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human SHOC2/Sur8
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Sheep,Chicken
Purification:	Purified by Protein A.

### **Target Details**

Target:	SHoc2/Sur8 (SHOC2)
Alternative Name:	SHOC2 (SHOC2 Products)

### **Target Details**

Background:	Synonyms: Leucine-rich repeat protein SHOC-2, Leucine-rich repeat protein SHOC-2, Ras-		
	binding protein Sur-8, KIAA0862, Leucine-rich repeat protein SHOC-2, Protein soc-2 homolog,		
	Protein Sur-8 homolog, SHOC2, SHOC2_HUMAN.		
	Background: Regulatory subunit of protein phosphatase 1 (PP1c) that acts as a M-Ras/MRAS		
	effector and participates in MAPK pathway activation. Upon M-Ras/MRAS activation, targets		
	PP1c to specifically dephosphorylate the 'Ser-259' inhibitory site of RAF1 kinase and stimulate		
	RAF1 activity at specialized signaling complexes. Involvement in disease: Defects in SHOC2 are		
	the cause of Noonan syndrome-like with loose anagen hair (NSLAH) . NSLAH children display		
	macrocephaly, high forehead, hypertelorism, palpebral ptosis, low-set and posteriorly rotated		
	ears, short and webbed neck and pectus anomalies. Affected subjects also have easily		
	pluckable, sparse, thin and slow-growing hair.		
Gene ID:	8036		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
Expiry Date:	12 months		