

### Datasheet for ABIN915455

# anti-SLC14A1 antibody (AA 151-250) (AbBy Fluor® 555)



Go to Product page

_					
	W	0	rv	10	W

Quantity:	100 μL	
Target:	SLC14A1	
Binding Specificity:	AA 151-250	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SLC14A1 antibody is conjugated to AbBy Fluor® 555	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human SLC14A1/RACH1	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Cow,Sheep,Pig,Chicken,Rabbit	
Purification:	Purified by Protein A.	
Target Details		
Target:	SLC14A1	
Alternative Name:	SLC14A1 (SLC14A1 Products)	

#### **Target Details**

#### Background:

Synonyms: blood group Kidd urea transporter, HsT1341, HUT11, JK, Kidd, kidd JK blood group urea transporter B1, RACH1, solute carrier family 14 urea transporter member 1 Kidd blood group, urea transporter B1, Urea transporter erythrocyte, urea transporter JK glycoprotein, UT B1, UT1, UTE.

Background: SLC14A1 is one of two major mammalian urea transporters, which play a critical role in the urine-concentrating mechanism. Their abundance is regulated by vasopressin, glucocorticoids, and mineralocorticoids. These regulatory mechanisms may be important in disease states such as diabetes.

# **Application Details**

Application Notes:

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

## Handling

Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	