antibodies.com

# Datasheet for ABIN915579 anti-SLC39A7 antibody (AA 201-300) (AbBy Fluor® 555)



#### Overview

Quantity:	100 μL
Target:	SLC39A7
Binding Specificity:	AA 201-300
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLC39A7 antibody is conjugated to AbBy Fluor® 555
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## Product Details

Alternative Name:

Immunogen:	KLH conjugated synthetic peptide derived from human SLC39A7
Isotype:	lgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Sheep,Pig,Horse,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	SLC39A7

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN915579 | 06/06/2024 | Copyright antibodies-online. All rights reserved.

Slc39a7 (SLC39A7 Products)

## Target Details

Background:	Synonyms: D6S115E, D6S2244E, H2 KE4, Histidine rich membrane protein Ke4, Histidine-rich
	membrane protein Ke4, HKE4, HLA class II region expressed gene KE4, KE4, Ke4 gene mouse,
	human homolog of, Really interesting new gene 5 protein, RING5, S39A7_HUMAN, SLC39A7,
	Solute carrier family 39 zinc transporter, member 7, Solute carrier family 39 member 7, solute
	carrier family 39 zinc transporter member 7, Zinc transporter SLC39A7, ZIP7.
	Background: Zinc is an essential cofactor for more than 50 classes of enzymes and is involved
	in protein, nucleic acid, carbohydrate, and lipid metabolism, plus the control of gene
	transcription, growth, development, and differentiation. Zinc cannot passively diffuse across
	cell membranes and requires specific transporters, such as SLC39A7, to enter the cytosol from
	both the extracellular environment and from intracellular storage compartments.
	in protein, nucleic acid, carbohydrate, and lipid metabolism, plus the control of gene transcription, growth, development, and differentiation. Zinc cannot passively diffuse across cell membranes and requires specific transporters, such as SLC39A7, to enter the cytosol from

Gene ID:	7922
Pathways:	Transition Metal Ion Homeostasis

## Application Details

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only

#### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN915579 | 06/06/2024 | Copyright antibodies-online. All rights reserved.